

角パイプ SUS304HL

ビニールチューブ入り

サイズ	長さ	肉厚				
		1.0	1.2	1.5	2.0	3.0
19×10	4M	○	○			
22×12	5M	○	○	○		
24×14	5M	○	○	○	○	
25×12	5M		○	○		
30×20	5M		○	○		
30×25	5M		○	○		
32×16	5M	○	○	○		
40×18	5M	○	○	○		
40×20	5M		○	○		
40×25	5M		○	○	○	
50×20	5M			○	○	
50×25	5M			○	○	
50×30	5M			○		
51×26	5M		○	○	○	
65×18	5M		○	○		
60×25	5M			○		
60×30	5M			○	○	
61×32	5M			○	○	
60×40	5M			○	○	
70×25	5M			○	○	
70×30	5M			○	○	
75×45	5M			○	○	○
80×40	5M			○	○	○
90×30	5M			○		
90×50	5M			○	○	○
100×40	5M				○	○
100×50	5M				○	○
120×60	5M				○	○
125×75	5M				○	○
150×50	5M				○	○

ビニールチューブ入り

サイズ	長さ	肉厚				
		1.0	1.2	1.5	2.0	3.0
9×9	4M	○				
10×10	4M	○	○			
12×12	4M	○	○			
13×13	4M	○	○			
14×14	4M	○	○			
16×16	5M	○	○	○		
19×19	5M	○	○	○	○	
20×20	5M	○	○	○		
21×21	5M	○	○	○		
22×22	5M	○	○	○		
24×24	5M	○	○	○		
25×25	5M		○	○		
25.4×25.4	5M	○		○		
28.6×28.6	5M	○	○	○		
30×30	5M		○	○		
32×32	5M		○	○	○	
35×35	5M		○	○		
38.5×38.5	5M		○	○	○	
40×40	5M		○	○		
41×41	5M		○	○	○	
46×46	5M			○	○	
50×50	5M			○	○	○
60×60	5M			○	○	○
75×75	5M				○	○
100×100	5M				○	○
150×150	5M					

角パイプ SUS304#400

ビニールチューブ入り

サイズ	長さ	肉厚				
		1.0	1.2	1.5	2.0	3.0
19×10	4M	○	○			
22×12	5M		○	○		
24×14	5M	○	○	○		
25×12	5M					
30×20	5M			○		
30×25	5M			○		
32×16	5M			○		
40×18	5M		○	○		
40×20	5M			○		
40×25	5M		○	○		
50×20	5M					
50×25	5M			○		
50×30	5M			○		
51×26	5M			○		
65×18	5M			○		
60×25	5M					
60×30	5M					
61×32	5M			○	○	
60×40	5M					
70×25	5M					
70×30	5M					
75×45	5M			○	○	
80×40	5M			○	○	
90×30	5M			○	○	
90×50	5M					
100×40	5M					
100×50	5M				○	
120×60	5M				○	
125×75	5M					
150×50	5M				○	

ビニールチューブ入り

サイズ	長さ	肉厚				
		1.0	1.2	1.5	2.0	3.0
9×9	4M	○				
10×10	4M	○	○			
12×12	4M	○	○			
13×13	4M					
14×14	4M	○	○			
16×16	5M	○	○	○		
19×19	5M	○	○	○		
20×20	5M			○		
21×21	5M			○		
22×22	5M		○	○		
24×24	5M			○		
25×25	5M			○		
25.4×25.4	5M		○	○		
28.6×28.6	5M	○	○	○		
30×30	5M			○		
32×32	5M		○	○		
35×35	5M			○		
38.5×38.5	5M			○		
40×40	5M			○	○	
41×41	5M			○		
46×46	5M			○	○	
50×50	5M			○	○	
60×60	5M			○	○	
75×75	5M				○	
100×100	5M				○	
150×150	5M					

化粧パイプ SUS304HL#400 長さ=6M

HL=HL研磨のみ

ビニールチューブ入り

サイズ	肉厚					
	1.0	1.2	1.5	2.0	3.0	4.0
10.0						
12.0						
13.0			HL ○			
13.8						
14.0						
15.0						
16.0			○			
17.3			○			
19.0			○	HL ○		
21.7			○	○		
22.0			○			
25.0			○	○		
25.4						
27.2			○	○	○	
32.0			○	○		
34.0			○	○	○	
38.0			○	○	○	
42.7			○	○	○	
45.0						
48.6			○	○	○	
50.0			○	○	○	
60.5			○	○	○	
76.3			○	○	○	
89.1			○	○	○	○
101.6				○	○	○
114.3				HL ○	HL ○	HL ○
139.8					HL ○	HL ○
165.2					HL ○	HL ○
216.3						HL ○

化粧パイプ SUS304HL 長さ=5M

HL研磨のみ

ビニールチューブ入り

サイズ	肉厚		
	1.5	2.0	3.0
27.2	○		
32.0	○	○	
34.0	○	○	○
38.0	○	○	○
42.7	○	○	○
48.6	○	○	○
50.0	○	○	
60.5	○	○	○

化粧パイプ SUS430#400 長さ=4M

ビニールチューブ入り

サイズ	肉厚			
	0.8	1.0	1.2	1.5
13	○	○		
16	○	○	○	○
19	○	○	○	○
22	○	○	○	○
25	○	○	○	○
32		○	○	○
34		○	○	○
38		○	○	○
50				

ジョイントパイプ SUS304

サイズ (外径×肉厚)	
19.0×1.5	○
21.7×1.5	○
21.7×2.0	○
22.0×1.5	○
25.0×1.5	○
25.0×2.0	○
27.2×1.5	○
27.2×2.0	○
32.0×1.5	○
32.0×2.0	○
32.0×3.0	○
34.0×1.5	○
34.0×2.0	○
34.0×3.0	○
38.0×1.5	○
38.0×2.0	○
38.0×3.0	○
42.7×1.5	○
42.7×2.0	○
42.7×3.0	○
48.6×1.5	○
48.6×2.0	○
48.6×3.0	○
50.0×1.5	○
50.0×2.0	○
50.0×3.0	○
60.5×1.5	○
60.5×2.0	○
60.5×3.0	○
76.3×1.5	○
76.3×2.0	○
76.3×3.0	○
89.1×1.5	○
89.1×2.0	○
89.1×3.0	○
101.6×2.0	○
101.6×3.0	○
114.3×2.0	○
114.3×3.0	○
139.8×3.0	○

丸座金 SUS304

パイプ サイズ	穴開き			フタ
	板厚	サイズ		
10.0	2.0	26.5×10.5	○	○
12.0	2.0	28.5×12.5	○	○
13.0	2.0	29.5×13.5	○	○
16.0	2.0	36.5×16.5	○	○
17.3	2.0	37.5×17.8	○	○
19.0	2.0	39.5×19.5	○	○
21.7	2.0	42.5×22.5	○	○
22.0	2.0	42.5×22.5	○	○
25.0	2.0	45.8×25.8	○	○
25.4	2.0	45.8×25.8	○	○
27.2	2.0	48.0×28.0	○	○
32.0	2.0	63.0×33.0	○	○
34.0	2.0	65.0×35.0	○	○
38.0	2.0	69.0×39.0	○	○
42.7	2.0	73.7×43.7	○	○
48.6	2.0	85.6×49.6	○	○
50.0	2.0	87.0×51.0	○	○
60.5	2.0	102.0×62.0	○	○
76.3	2.0	117.8×77.8	○	○
89.1	2.0	130.6×90.6	○	○
101.6	3.0	173.0×103.0	○	○
114.3	3.0	195.0×116.0	○	○

エルボ SUS304

ロングエルボ

サイズ (外径×肉厚)	#600	HL
19.0×2.0	○	○
21.7×2.0	○	○
25.0×2.0	○	○
27.2×2.0	○	○
32.0×2.0	○	○
34.0×2.0	○	○
38.0×2.0	○	○
42.7×2.0	○	○
48.6×2.0	○	○
50.0×2.0	○	○
60.5×2.0	○	○
76.3×2.0	○	○
89.1×2.0	○	○
101.6×3.0	○	○
114.3×3.0	○	○
139.8×3.0	○	○
165.2×3.0	○	○

ネック付きエルボ

サイズ (外径×肉厚)	#400	HL
19.0×2.0	○	○
21.7×2.0	○	○
25.0×2.0	○	○
27.2×2.0	○	○
32.0×2.0	○	○
34.0×2.0	○	○
38.0×2.0	○	○
42.7×2.0	○	○
48.6×2.0	○	○
50.0×2.0	○	○
60.5×2.0	○	○
76.3×2.0	○	○
89.1×2.0	○	○

シャープエルボ

サイズ (外径×肉厚)	#400	HL
27.2×2.0	○	○
32.0×2.0	○	○
34.0×2.0	○	○
38.0×2.0	○	○
42.7×2.0	○	○

キャップ(化粧パイプ用) SUS304

キャップ

サイズ (外径×肉厚)	HL、#600研磨品	未研磨品
19.0×1.5	○	○
22.0×1.5	○	○
25.0×1.5	○	○
27.2×1.5	○	○
32.0×1.5	○	○
34.0×1.5	○	○
38.0×1.5	○	○
42.7×1.5	○	○
48.6×1.5	○	○
50.0×1.5	○	○
60.5×2.0	○	○
76.3×2.0	○	○
89.1×2.0	○	○
101.6×2.0	○	○
114.3×2.0	○	○
114.3×4.0		○

半球キャップ

サイズ (外径×肉厚)	HL、#600研磨品	未研磨品
25.0×1.5	○	
27.2×1.5	○	
32.0×1.5	○	
34.0×1.5	○	
38.0×1.5	○	
42.7×1.5	○	
48.6×1.5	○	
50.0×1.5	○	
60.5×2.0	○	
76.3×2.0	○	
89.1×2.0	○	
101.6×2.5	○	
114.3×2.5	○	
139.8×3.0	○	
165.2×3.0	○	
216.3×3.0	○	

浅型キャップ (ケース単位)

サイズ (外径×肉厚)	HL、#600研磨品	未研磨品
25.0×1.5	○	
27.2×1.5	○	
32.0×1.5	○	
34.0×1.5	○	
38.0×1.5	○	
42.7×1.5	○	
48.6×1.5	○	
50.0×1.5	○	
60.5×2.0	○	
76.3×2.0	○	
89.1×2.0	○	
101.6×2.5	○	
114.3×2.5	○	

熱間圧延フラットバー SUS304

定尺=4M

サイズ	一本重量	
9×15	4.28	○
9×19	5.44	○
9×20	5.72	○
9×22	6.28	○
9×25	7.12	○
9×30	8.56	○
9×32	9.12	○
9×35	10	○
9×38	10.8	○
9×40	11.4	○
9×50	14.3	○
9×60	17.1	○
9×65	18.6	○
9×75	21.4	○
9×90	25.7	○
9×100	28.6	○
10×15	4.76	○
10×19	6.04	○
10×20	6.36	○
10×25	7.92	○
10×30	9.52	○
10×32	10.2	○
10×35	11.1	○
10×38	12	○
10×40	12.7	○
10×50	15.8	○
10×65	20.6	○
10×75	23.8	○
10×100	31.7	○
10×125	39.6	○
10×150	47.6	○
12×15	5.72	○
12×19	7.24	○
12×25	9.52	○
12×30	11.4	○
12×32	12.2	○
12×35	13.3	○
12×38	14.5	○
12×40	15.2	○
12×50	19	○
12×65	24.8	○
12×75	28.6	○
12×90	34.2	○
12×100	38.1	○
12×125	47.6	○
12×150	57.2	○

サイズ	一本重量	
16×20	10.2	○
16×25	12.7	○
16×30	15.2	○
16×32	16.2	○
16×35	17.8	○
16×38	19.3	○
16×40	20.3	○
16×50	25.4	○
16×65	33	○
16×75	38.1	○
16×90	45.6	○
16×100	50.8	○
16×125	63.6	○
16×150	76	○
19×25	15.1	○
19×30	18.1	○
19×32	19.3	○
19×35	21.1	○
19×38	22.9	○
19×40	24.1	○
19×50	30.1	○
19×65	39.2	○
19×75	45.2	○
19×100	60.4	○
19×125	75.2	○
19×150	90.4	○
22×25	17.4	○
22×30	20.9	○
22×32	22.3	○
22×35	24.4	○
22×38	26.5	○
22×40	27.9	○
22×50	34.9	○
22×65	45.2	○
22×75	52.4	○
22×100	69.6	○
22×125	87.2	○
22×150	105	○
25×32	25.4	○
25×38	30.1	○
25×50	39.6	○
25×65	51.6	○
25×75	59.6	○
25×100	79.2	○
25×125	99.2	○
25×150	119	○

熱間圧延フラットバー SUS304

定尺=4M

サイズ	一本重量	
30×50	47.6	○
30×55	52.4	○
30×65	62	○
30×75	71.2	○
30×100	95.2	○
30×125	119	○
30×150	143	○
35×50	55.6	○
35×75	83.2	○
35×100	111	○
35×125	139	○
35×150	166	○
40×50	63.6	○
40×75	95.2	○
40×100	127	○
40×125	158	○
40×150	190	○
50×75	119	○
50×100	159	○

サイズ	一本重量	
50×125	198	○
50×150	238	○
60×75	143	○
60×100	190	○
60×125	238	○
60×150	286	○
70×100	222	○
70×125	278	○
70×150	333	○
80×100	254	○
80×125	317	○
80×150	381	○
90×125	357	○
90×150	428	○
100×125	396	○
100×150	476	○

熱間圧延四角棒 SUS304

定尺=4M

サイズ	一本重量	
10×10	3.17	○
12×12	4.56	○
13×13	5.36	○
14×14	6.2	○
15×15	7.12	○
16×16	8.12	○
19×19	11.4	○
20×20	12.7	○
22×22	15.4	○
25×25	19.8	○
28×28	24.9	○
30×30	28.6	○
32×32	32.5	○

サイズ	一本重量	
36×36	41.2	○
38×38	45.8	○
40×40	50.8	○
45×45	64.2	○
50×50	79.2	○
55×55	96	○
60×60	114	○
65×65	134	○
70×70	156	○
75×75	178	○
90×90	257	○
100×100	317	○

COLDフラットバー SUS304

サイズ	長さ	一本重量	COLD	HL
2×6	2M	0.190	○	
2×8	2M	0.254	○	
2×9	2M	0.286	○	
2×10	3M	0.477	○	
2×10	4M	0.636	○	
2×12	4M	0.760	○	
2×15	4M	0.952	○	
2×20	4M	1.27	○	
2×25	4M	1.58	○	
2×30	4M	1.90	○	
2×32	4M	2.03	○	
2×40	4M	2.54	○	
2×50	4M	3.17	○	
3×5	2M			
3×5	3M	0.357	○	
3×6	3M	0.429	○	
3×7	2M			
3×7	3M	0.501	○	
3×8	3M	0.570	○	
3×9	3M	0.642	○	
3×9	4M			
3×10	4M	0.952	○	○
3×12	4M	1.14	○	○
3×13	4M	1.24	○	○
3×15	4M	1.43	○	○
3×16	4M	1.52	○	○
3×19	4M	1.81	○	○
3×20	4M	1.90	○	○
3×22	4M	2.09	○	○
3×25	4M	2.38	○	○
3×30	4M	2.86	○	○
3×32	4M	3.04	○	○
3×38	4M	3.62	○	○
3×40	4M	3.81	○	○
3×42	4M	4.00	○	○
3×45	4M	4.28	○	○
3×48	4M	4.56	○	○
3×50	4M	4.76	○	○
3×60	4M	5.72	○	○
3×65	4M	6.20	○	○
3×75	4M	7.12	○	○
3×100	4M	9.52	○	○
3×110	4M	10.5	○	
3×120	4M	11.4	○	
3×125	4M	11.9	○	
3×130	4M	12.4	○	
3×140	4M	13.3	○	
3×150	4M	14.3	○	

COLDフラットバー SUS304

サイズ	長さ	一本重量	COLD	HL
4×9	4M	1.14	○	○
4×10	4M	1.27	○	○
4×11	4M	1.40	○	○
4×13	4M	1.65	○	○
4×15	4M	1.90	○	○
4×16	4M	2.03	○	○
4×17	4M	2.16	○	
4×19	4M	2.41	○	○
4×20	4M	2.54	○	○
4×22	4M	2.79	○	○
4×25	4M	3.17	○	○
4×30	4M	3.81	○	○
4×32	4M	4.08	○	○
4×38	4M	4.84	○	○
4×40	4M	5.08	○	○
4×45	4M	5.72	○	○
4×50	4M	6.36	○	○
4×60	4M	7.60	○	○
4×65	4M	8.24	○	○
4×75	4M	9.52	○	○
4×90	4M			
4×100	4M	12.7	○	○
5×8	4M	1.27	○	
5×9	4M	1.43	○	○
5×10	4M	1.59	○	○
5×12	4M	1.90	○	○
5×13	4M	2.06	○	○
5×15	4M	2.38	○	○
5×16	4M	2.54	○	○
5×19	4M	3.01	○	○
5×20	4M	3.17	○	○
5×22	4M	3.49	○	○
5×25	4M	3.96	○	○
5×30	4M	4.76	○	○
5×32	4M	5.08	○	○
5×34	4M	5.40	○	○
5×38	4M	6.04	○	○
5×40	4M	6.36	○	○
5×50	4M	7.92	○	○
5×60	4M	9.52	○	○
5×65	4M	10.3	○	○
5×75	4M	11.9	○	○
5×90	4M	14.3	○	○
5×100	4M	15.9	○	○
5×130	4M	20.6	○	

COLDフラットバー SUS304

サイズ	一本重量		COLD	HL
	4 M	6 M		
6×9	1.71		○	
6×10	1.90		○	○
6×12	2.28		○	○
6×13	2.48		○	○
6×15	2.86		○	○
6×16	3.04		○	○
6×18	3.42		○	○
6×19	3.62		○	○
6×20	3.81		○	○
6×22	4.20		○	○
6×25	4.76		○	○
6×30	5.72		○	○
6×32	6.08		○	○
6×38	7.24		○	○
6×40	7.60		○	○
6×42	8.00		○	○
6×45	8.56		○	○
6×48	9.12		○	○
6×50	9.52	14.3	○	○
6×60	11.4		○	○
6×65	12.4	18.5	○	○
6×70	13.3		○	○
6×75	14.3	21.4	○	○
6×90	17.1		○	○
6×100	19.0	28.6	○	○
6×110	20.9		○	
6×120	22.8		○	
6×125	23.8		○	
6×130	24.8		○	
6×140	26.6		○	
6×150	28.6		○	

(注) 6M品は一本重量記載分のみ取扱い。

COLDフラットバー SUS304

サイズ	一本重量		COLD	HL
	4 M	6 M		
8×10	2.54		○	○
8×16	4.08		○	○
8×32	8.12		○	○
8×38	9.64		○	○
8×50	12.7		○	○
9×13	3.71		○	○
9×15	4.28		○	○
9×16	4.56		○	○
9×19	5.44		○	○
9×20	5.72		○	○
9×22	6.28		○	○
9×25	7.12	10.7	○	○
9×30	8.56	12.8	○	○
9×32	9.12	13.7	○	○
9×38	10.8	16.3	○	○
9×40	11.4	17.1	○	○
9×50	14.3	21.4	○	○
9×60	17.1		○	○
9×65	18.6	27.8	○	○
9×75	21.4	32.1	○	○
9×90	25.7		○	○
9×100	28.6	42.8	○	○
9×125	35.7		○	○
9×150	42.8		○	○
9×200	57.2		○	○
9×250	71.2		○	○
9×300	85.6		○	

(注) 6M品は一本重量記載分のみ取扱い。

COLDフラットバー SUS304

サイズ	一本重量		COLD	HL
	4 M	6 M		
10×15	4.76		○	○
10×19	6.04		○	○
10×20	6.36		○	○
10×25	7.92		○	○
10×30	9.52		○	○
10×32	10.2		○	○
10×38	12.0		○	○
10×40	12.7		○	○
10×50	15.8		○	○
10×65	20.6		○	○
10×75	23.8		○	○
10×100	31.7		○	○
10×125	39.6		○	○
10×150	47.6		○	○
10×200	63.6		○	○
10×250	79.2		○	○
12×14	5.32		○	
12×16	6.08		○	○
12×19	7.24		○	○
12×20	7.60		○	○
12×25	9.52		○	○
12×30	11.4	17.1	○	○
12×32	12.2		○	○
12×35	13.3		○	○
12×38	14.5	21.7	○	○
12×40	15.2	22.9	○	○
12×50	19.0	28.6	○	○
12×65	24.8	37.1	○	○
12×75	28.6	42.8	○	○
12×90	34.2		○	○
12×100	38.1	57.1	○	○
12×125	47.6		○	○
12×150	57.2		○	○
12×200	76.0		○	○
12×250	95.2		○	○
12×300	114		○	

(注) 6M品は一本重量記載分のみ取扱い。

COLDフラットバー SUS304

サイズ	長さ	一本重量	COLD	HL
16×20	4M	10.2	○	○
16×25	4M	12.7	○	○
16×32	4M	16.2	○	○
16×38	4M	19.3	○	○
16×40	4M	20.3	○	○
16×50	4M	25.4	○	○
16×65	4M	33.0	○	○
16×75	4M	38.1	○	○
16×100	4M	50.8	○	○
16×125	4M	63.6	○	○
16×150	4M	76.0	○	○
16×200	4M	102	○	○
16×250	4M	127	○	○
16×300	4M	152	○	
19×25	4M	15.1	○	○
19×32	4M	19.3	○	○
19×38	4M	22.9	○	○
19×50	4M	30.1	○	○
19×65	4M	39.2	○	○
19×75	4M	45.2	○	○
19×100	4M	60.4	○	○
19×125	4M	75.2	○	○
19×150	4M	90.4	○	○
19×200	4M	120	○	○
19×250	4M	151	○	○
19×300	4M	181	○	
22×32	4M	22.3	○	
22×38	4M	26.5	○	
22×50	4M	34.9	○	
22×65	4M	45.2	○	
22×75	4M	52.4	○	
22×100	4M	69.6	○	
25×32	4M	25.4	○	
25×38	4M	30.1	○	
25×50	4M	39.6	○	
25×65	4M	51.6	○	
25×75	4M	59.6	○	
25×100	4M	79.2	○	
25×125	4M	99.2	○	
25×150	4M	119		

COLDフラットバー SUS304

サイズ	長さ	一本重量	COLD
30×55	4M	52.4	○
30×65	4M	62.0	○
30×75	4M	71.2	○
30×100	4M	95.2	○
35×50	4M	55.6	○
35×65	4M	72.0	○
35×75	4M	83.2	○
35×100	4M	111	○

COLD 角棒 SUS304

サイズ	長さ	一本重量	COLD	HL
3×3	2M	0.142	○	
4×4	3M	0.381	○	
5×5	4M	0.792	○	○
6×6	4M	1.14	○	○
7×7	4M	1.56	○	○
8×8	4M	2.03	○	○
9×9	4M	2.57	○	○
10×10	4M	3.17	○	○
12×12	4M	4.56	○	○
13×13	4M	5.36	○	○
14×14	4M	6.2	○	○
15×15	4M	7.12	○	○
16×16	4M	8.12	○	○
19×19	4M	11.4	○	○
20×20	4M	12.7	○	○
22×22	4M	15.4	○	○
25×25	4M	19.8	○	○
26×26	4M	21.4		
28×28	4M	24.9	○	○
30×30	4M	28.6	○	○
32×32	4M	32.5		
36×36	4M	41.2		
38×38	4M	45.6		
40×40	4M	50.8		
45×45	4M	64.4		
50×50	4M	79.2		
55×55	4M	96.0		
60×60	4M	114		
65×65	4M	134		

熱間圧延アングル SUS304酸洗品

サイズ	一本重量		
	4 M	6 M	
3×20×20	3.58		○
3×25×25	4.52		○
3×30×30	5.48	8.22	○
3×40×40	7.4	11.1	○
3×50×50	9.48	14.2	○
4×35×35		12.8	○
4×40×40	9.64	14.5	○
4×50×50	12.4	18.5	○
5×40×40	11.9	17.9	○
5×45×45		20.3	○
5×50×50	15.2	22.9	○
6×30×30		15.2	○
6×40×40		21	○
6×50×50	17.9	26.9	○
6×60×60		32.6	○
6×65×65	23.9	35.8	○
6×75×75	27.7	41.5	○
6×100×100		55.9	○
7×70×70		44.5	○
8×65×65		46.4	○
8×80×80		57.8	○
8×100×100		73.2	○
9×50×50		38.6	○
9×75×75	40.4	60.6	○
9×90×90		73.8	○
10×100×100	60.4	90.6	○

(注) 4M品・6M品とも一本重量記載分のみ取扱い。

熱間圧延アングル SUS304HL

ビニールチューブ入り

サイズ	一本重量		
	4 M	6 M	
3×20×20	3.58		○
3×25×25	4.52		○
3×30×30	5.48	8.22	○
3×40×40	7.4	11.1	○
4×40×40		14.5	○
4×50×50		18.5	○
5×40×40		17.9	○
5×50×50		22.9	○
6×50×50		26.9	○
6×65×65		35.8	○
6×75×75		41.5	○
9×75×75		60.6	○
10×100×100		90.6	○

(注) 4M品・6M品とも一本重量記載分のみ取扱い。

熱間圧延アングル SUS430

サイズ	長さ	一本重量	
2×30×30	4M	3.62	○
2×40×40	4M	4.88	○
3×20×20	4M	3.47	○
3×25×25	4M	4.40	○
3×30×30	4M	5.32	○
3×40×40	4M	7.20	○

フォーミングアングル SUS304

CG研磨品

サイズ	一本重量		1種 1.5tR	2種 0.7tR
	4M	6 M		
2×20×20	2.37			○
2×25×25	3.01			○
2×30×30	3.64			○
2×40×40	4.92			○
3×15×15	2.48			○
3×20×20	3.44			○
3×25×25	4.40			○
3×30×30	5.32	7.98		○
3×40×40	7.24	10.9		○
3×50×50		13.6	○	
3×60×60		16.4	○	
4×50×50		17.8	○	
4×60×60		21.6	○	
4×65×65		23.5	○	
4×75×75		27.3	○	
5×40×40		17.1	○	
5×50×50		21.8	○	
5×60×60		26.6	○	
5×65×65		29.0	○	
5×75×75		33.7	○	
5×90×90		40.9	○	
5×100×100		45.6	○	
6×50×50		25.7	○	
6×60×60		31.4	○	
6×65×65		34.3	○	
6×70×70		37.1	○	
6×75×75		40.0	○	
6×80×80		42.8	○	
6×90×90		48.6	○	
6×100×100		54.3	○	

(注) 4M品・6M品とも一本重量記載分のみ取扱い。

外2面 #400研磨品

サイズ	長さ	一本重量	
2×30×30	4M	3.64	○
2×40×40	4M	4.92	○
3×20×20	4M	3.44	○
3×25×25	4M	4.40	○
3×30×30	4M	5.32	○
3×40×40	4M	7.24	○

フォーミングアングル SUS430

サイズ	長さ	一本重量	CG研磨品	外2面#400研磨品
2×30×30	4M	3.54	○	○
2×40×40	4M	4.76	○	○
3×20×20	4M	3.24	○	○
3×25×25	4M	4.24	○	○
3×30×30	4M	5.20	○	○
3×40×40	4M	7.04	○	○

熱間圧延チャンネル SUS304酸洗品

サイズ	長さ	一本重量	
3×40×20	6M	10.8	○
3×50×25	6M	13.7	○
4×100×50	6M	37.1	○
5×80×40	6M	35.9	○
5×100×50	6M	45.9	○
6×100×50	6M	54.1	○
6×130×65	6M	72	○
6×150×75	6M	83.4	○
9×150×75	6M	121	○
10×200×100	6M	182	○

ステンレス丸鋼 (SUS304引抜丸棒・磨棒)

サイズ	長さ	一本重量	引抜棒	磨棒
2	2M	0.050	○	
2.5	2M	0.078	○	
3	2M	0.112	○	○
4	2M	0.200	○	○
5	2M	0.312	○	○
5	4M	0.624	○	
6	2M	0.448	○	○
6	4M	0.896	○	
7	2M	0.610	○	○
7	4M	1.22	○	
8	2M	0.798	○	○
8	4M	1.60	○	
9	2M	1.01	○	○
9	4M	2.02	○	
10	2M	1.25	○	○
10	4M	2.49	○	
12	2M	1.79	○	○
12	4M	3.59	○	
13	2M	2.10	○	○
13	4M	4.20	○	
14	4M	4.88	○	
15	4M	5.60	○	
16	4M	6.36	○	
19	4M	9.00	○	
20	4M	9.96	○	
22	4M	12.0	○	
25	4M	15.6	○	

冷間引抜六角棒 SUS304

表面仕上げは、全サイズ スキンパス仕上げ

サイズ	長さ	一本重量	
5H	3M	0.516	○
6H	3M	0.741	○
7H	3M	1.02	○
8H	3M	1.32	○
9H	3M	1.68	○
10H	3M	2.07	○
11H	3M	2.49	○
12H	3M	2.97	○
13H	3M	3.48	○
14H	4M	5.40	○
17H	4M	7.92	○
19H	4M	9.92	○
21H	4M	12.1	○
22H	4M	13.3	○
23H	4M	14.5	○
24H	4M	15.8	○
26H	4M	18.6	○
27H	4M	20.0	○
29H	4M	23.1	○
30H	4M	24.7	○
32H	4M	28.1	○
35H	4M	33.6	○
36H	4M	35.6	○
38H	4M	39.7	○
41H	4M	46.0	○
46H	4M	58.0	○
50H	4M	68.8	○

冷間引抜六角棒 SUS303

表面仕上げは、全サイズ スキンパス仕上げ

サイズ	長さ	一本重量	
5H	3M	0.516	○
6H	3M	0.741	○
7H	3M	1.02	○
8H	3M	1.32	○
9H	3M	1.68	○
10H	3M	2.07	○
11H	3M	2.49	○
12H	3M	2.97	○
13H	3M	3.48	○
14H	4.1M	5.54	○
17H	4.1M	8.12	○
19H	4.1M	10.2	○
21H	4.1M	12.4	○
23H	4.1M	14.9	○
24H	4.1M	16.2	○
26H	4.1M	19.0	○
27H	4.1M	20.5	○
29H	4.1M	23.7	○

冷延鋼板 SUS304

板厚	2B		HL+SPV	
	1M×2M	4'×8'	1M×2M	4'×8'
0.6	○	○		
0.8	○	○		
1.0	○	○	○	○
1.2	○	○	○	○
1.5	○	○	○	○
2.0	○	○	○	○
3.0	○	○		
4.0	○			

板厚	片研 # 400 + SPV	
	1M×2M	4'×8'
0.6	○	
0.8	○	
1.0	○	
1.2	○	○
1.5	○	○
2.0	○	○

(注) 上記在庫他、鏡面研磨・特殊研磨・SPH貼り等についても相談可。

鉄筋バー SUS304酸洗品

サイズ
10
13
16
19
25
32
35
38